





Non-slip design



A textured tamping



Multiple sizes



Selection material


Rotating Tamping
Exquisite production process
The collision of solid wood and metal
The sparks of the collision of solid wood and metal
dance to the melody of coffee


CD Series - Gripping Show every coffee "powder"




TO GET AN ESPRESSO

Dynamic composition plays an important role
Makes coffee grounds flat, uniform and firm
Have a better extraction environment





hand of The barista to touch the coffee grounds Relatively effective in reducing channel effects
Can greatly improve the stability
Of extraction and concentration






Distributor/Tamper It works better when used together

Distributor - Distribute the powder evenly Tamper- Vertical Tamping Smooth and compact





USING THE DISTRIBUTOR/TAMPER EFFECT



Distributing Before

Distributing After

Tamping After

ABOUT DIAMETER

The diameter of a basket labeled 58mm by a coffee maker in the market is at least 58.6mm,

And after repeated testing, Choosing a distributor and tamper with a diameter of 58.35mm can make the distributing and tamping more fit and effectively reduce residual powder.

ABOUT THE HEIGHT ADJUSTMENT OF DISTRIBUTOR

According to the amount of powder to adjust the height of the distributor. it's just enough when surface flatted.



Rotate to adjust height Adjust according to your needs


Adjust according to the amount of powder Make the tamping pressure reasonable














When adjusting the height please hold the upper lid tightly



first rotate the adjusting ring and the base counterclockwise then rotate the base counterclockwise



Finally rotate the adjusting ring clockwise to tighten the adjusting ring and the upper lid





A textured tamping Exquisite usage experience



Fit tightly into the basket Vertical tamping







Knurling process crisscross effective anti-slip

sturdy and durable refined aesthetic shape







Segmented design Easy to assemble and use



Free disassembly Easy to clean






SUS 304 base



three sizes Commercial or household At your choice

Meet different application scenarios Switch freely



58.35mm



53mm



51mm



Brand logo Quality Assurance








NATIONAL STANDARD FOOD EXPOSURE TEST REPORT




APPROVED AFTER TESTING



項目		单位	指标	结果
感官测试	婚官	8,9	接触食品的表面应清洁,镀层不 应开裂、剥落,焊接部分应光洁, 无气孔、裂缝、毛刺	接触食品的表面清洁, 无镀层,无焊接
C. I'S	浸泡液	- 0	迁移试验所得浸泡液不应有异臭	迁移试验所得浸泡液无异臭
砷(As)	4%乙酸煮沸 0.5h. 再室温 放置24h	mg/kg	≤0.04	<0.03
镉(Cd)		mg/kg	≤0.02	<0.003
∰(Pb)		mg/kg	≤0.05	<0.03
俗(Cr)		mg/kg	≤2.0	0.22
镍(Ni)	CX	mg/kg	≤0.5	<0.006

INFORMATION





Purely manual measurement allows for errors, please prevail in kind.

Brand MHW-3BOMBER	Name CD Series
Material SUS304、Walnut Aluminum	Specification 51mm/53mm/58.35mm
Weight CD Wood Lid Edition: 425g/465g/505g	Origin China
CD Series: 415g/450g/485g	

WARM PROMPT

:

WARM PROMPT



The upper lid of wood lid products is made of natural walnut, there's difference of texture and color, small tree scar, mineral line is a normal phenomenon, not a quality problem.

Metal products may have some traces of grinding and hanging due to material reasons. it's not a defective product, which does not affect the appearance and use. And note the product is not dishwasher safe please be aware and understand.

