





Constant pressure



Constant and horizontal



Self-adaptive height



Tamping tips

Original three-spring design Utility Model Patent

¥

Due to ordinary tamper, the tamping force varies every time

So we designers, after repeated testing

Designed a new concept of constant force tamper

Compressing and releasing the spring through force interactions

When the pressure reaches a preset value, feedback is provided through

the mechanical sound of the press rod and the tamper seat



patent number: ZL 2023 2 03521999




30 ld. constant pressure



After testing, using a constant force of about 30 pounds to tamping, when extracting, helps to improve the flavor and stability of espresso


EXTRACTION TEST



Extraction of measured data		
temperature (°C)	Extraction time (s)	Pressure (bar)
92.5	26	9

Extraction rate

22.04% 23.07% 22.95%






It was tested that with a constant pressure of about 30 pounds, the extraction rate was almost the same with different powder amounts and consistent extraction time.

Note: The filter basket used in this test is DEX precision filter basket (18g) , and the above is an internal test, for reference only.

Pressing automatic rebound design Constant tamping No adjustme


V


Automatic adaptation to the required tamping height Finished t





Reset state





Placed flat Vertical tamping Constant and horizontal Preven



Threaded base Sturdy and durable Tamping and compacting

SUS304 Strictly selected materials Wear and corrosion resistan

The design of the thread can make the contact surface of water and coffee powder wider, which helps to improve the extraction rate







Three specifications Wide suitability As you choose



Meet different application scenarios Switch freely




58.35mm

Compatible models:

lamarzocco/Wega/Kees/Slayer/Astoria

La Cimbali/Expobar/Faema e61/Nuova Simonelli

Welhome/Barsetto/Maxims etc.



Laspaziale/La SanMarco/Breville 8 series general, etc.



___ 53mm



Compatible models:

Delonghi/Petrus 51 series,etc.



Measurement: Calipers can be used to measure the inside diameter of the filter basket

"More models can be obtained by confacting customer service



EXTRACTION MOMENT COZY TIME



A cup of coffee To feel the flow of years




Step 1: Pick up the right amount of coffee powder

Step 2: Use distributor to make the powder bed evenly distributed






 Step 3: Use tamper to tamping and press the coffee powder to make it flat and firm





It is recommended to use with a distributor, so that the powder bed is evenly distributed, effectively reducing the channel effect and improving the stability of the extraction espresso. (Operation steps used for the CD wood cover version - four paddle distributor)

INFORMATION



*Manual measurement may have errors. Please refer to actual objects

Brand	Name
MHW-3BOMBER	Flash constant pressure tamper
Material SUS304, walnut, aluminum alloy	Specification 51mm/53mm/58.35mm
Weight 300g/310g/350g	Origin China

Product handle partly selected from natural walnut, texture, color are differences, there are small tree scars, mineral lines, etc. are normal, non-quality issues.

Metal products due to the material may appear a little polishing, hanging tool traces, non-defective products, does not affect the beauty and use, please know and understand.



SCENE

